

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/942,528	08/29/2001	Philipp Lang	6750-0001 OP-001.00US	6548		
36806	7590 11/24/2003		EXAM	EXAMINER		
IMAGING	THERAPEUTICS, INC	THOMAS, COURTNEY D				
	NS & PASTERNAK .RCADERO ROAD	ART UNIT	PAPER NUMBER			
SUITE 230		2882				
PALO ALT	O, CA 94304-3303	DATE MAILED: 11/24/2003				


Please find below and/or attached an Office communication concerning this application or proceeding.

							
Office Action Summary		Application	on No.	Applicant(s)	^		
		09/942,52	8	LANG, PHILIPP	\mathcal{L}		
		Examiner		Art Unit	t		
		Courtney		2882	····		
Period fo	The MAILING DATE of this communication or Reply	n appears on the	cov r sheet with the c	orrespond nce addre	}ss		
THE - Exte after - If the - If NC - Failu - Any	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATION of time may be available under the provisions of 37 Cl SIX (6) MONTHS from the mailing date of this communication period for reply specified above is less than thirty (30) days, to period for reply is specified above, the maximum statutory pure to reply within the set or extended period for reply will, by a reply received by the Office later than three months after the reply attent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no eve on. , a reply within the statu period will apply and will statute, cause the appli	nt, however, may a reply be tim tory minimum of thirty (30) days I expire SIX (6) MONTHS from to cation to become ABANDONEL	rely filed s will be considered timely. the mailing date of this comn D (35 U.S.C. § 133).	nunication.		
1)⊠	Responsive to communication(s) filed on	09 October 2003	3.				
2a)⊠	This action is FINAL . 2b) This action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
4)⊠	Claim(s) <u>1-4,8-10 and 12-50</u> is/are pendin	ng in the applicat	ion.				
	4a) Of the above claim(s) is/are withdrawn from consideration.						
	Claim(s) is/are allowed.						
	Claim(s) <u>1-4,8-10 and 12-50</u> is/are rejected.						
7)□	Claim(s) is/are objected to.						
	Claim(s) are subject to restriction a	and/or election re	equirement.				
_	on Papers						
-	The specification is objected to by the Example of the specification is objected to by the Example of the specification in the specification is objected to by the Example of the specification is objected to by the Example of the specification is objected to by the Example of the specification is objected to by the Example of the specification is objected to by the Example of the specification is objected to by the Example of the specification is objected to by the Example of the specification is objected to be specification.		Tablested to butbe F	Ty amin a r			
10)	The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the						
	ınder 35 U.S.C. §§ 119 and 120						
12)	Acknowledgment is made of a claim for fo	reign priority und	der 35 U.S.C. § 119(a))-(d) or (f).			
·	☐ All b)☐ Some * c)☐ None of: 1.☐ Certified copies of the priority docur 2.☐ Certified copies of the priority docur 3.☐ Copies of the certified copies of the application from the International Business the attached detailed Office action for a	ments have beer priority docume ureau (PCT Rule	n received in Application nts have been receive e 17.2(a)).	d in this National Sta	age		
si 3	Acknowledgment is made of a claim for don note a specific reference was included in the 7 CFR 1.78.	ne first sentence	of the specification or	in an Application Da			
14)[] A) The translation of the foreign language ocknowledgment is made of a claim for done ference was included in the first sentence	nestic priority un	der 35 U.S.C. §§ 120	and/or 121 since a s			
Attachment	t(s)						
2) 🔲 Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948 nation Disclosure Statement(s) (PTO-1449) Paper No	8)	4) Interview Summary (5) Notice of Informal Pa 6) Other:				

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-4, 13-31 and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inga et al. (U.S. Patent 5,384,643) in view of Ohkubo (U.S. Patent 6,449,502 B1).



3.

4.

[57] ABSTRACT

A storage, retrieval, and transmission system is configured to provide fast, efficient telecommunication access to digitized images (e.g., medical diagnostic X-ray images) to multiple requesting subscribers. Image data are downloaded, via the telephone lines, to a remote display terminal in an optimal fashion that employs a two-dimensional patterned data compression scheme. The

Figure 1 and Abstract – U.S. Patent 5,384,643 to Inga et al.

Application/Control Number: 09/942,528 Page 3

Art Unit: 2882

5. As per claims 1 and 48-50, Inga et al. disclose a method comprising the steps of providing a digitized X-ray image on a local computer (abstract; column 6, lines 65-68, column 7, line 1); transmitting the X-ray image to a remote computer (abstract; column 7, lines 1-12) and analyzing the data at the remote computer. Inga et al. do not explicitly disclose a method comprising the step of deriving quantitative information on bone from the X-ray image at the remote computer.

1. Field of the Invention

This invention relates to a bone measurement method and apparatus. This invention particularly relates to a method and apparatus for acquiring a quantitative index value, which represents a condition of a structure of a bone tissue of a human body, or the like, the condition being useful in making a diagnosis of osteoporosis, or the like, in accordance with a radiation image.

2. Description of the Prior Art.

Bone mineral analysis, i.e., quantitative determination of 15 amounts of calcium in bones, is useful for making a diagnosis for preventing fractures of bones.

Specifically, the amounts of the bone mineral are determined by the density of bone trabeculae, which are the cancellous matter constituting the internal regions of bones, 20 i.e. the bone density. Therefore, if the bone density is low, the image density of a bone pattern in a bone image will become high. If the bone density is high, the image density of the bone pattern in the bone image will become low.

Therefore, by investigating small changes in the amounts 25 of calcium contained in bones, osteoporosis can be found early, and fractures of the bones can be prevented.

6.

Column 1, lines 5-27 - Ohkubo (U.S. Patent 6,449,502 B1)

7. Ohkubo teaches a method wherein quantitative information of bone is derived from a radiation image. Ohkubo teaches that a radiation image (including an X-ray image – column 1, lines 28-35) having bone attenuation data can be used to determine bone density by noting the density patterns appearing within the radiation image (see above). Ohkubo further teaches that analysis of radiation images and the determination of bone density assists in the identification of ailments such as osteoporosis and the prevention of bone fracture.


- 8. It would have been obvious to modify the method of Inga et al. such that it incorporated the step of determining quantitative information of bone from an X-ray image at a remote computer. One would have been motivated to make such a modification, since quantitative information of X-ray images can be obtained by simply noting the attenuation differences within an X-ray image as taught by Ohkubo (column 1, lines 5-27).
- 9. As per claim 2, Inga et al. as modified, do not explicitly disclose a method wherein the analysis of the images comprises using a computer program on the remote computer.
- 10. It would have been obvious to further modify the method of Inga et al. such that it incorporated a remote computer configured with a program for analysis of images. One would have been motivated to make such a modification so that a remote computer could carry out automated analysis of received data, thereby providing near instantaneous results of program computations.
- 11. As per claims 3-4, Inga et al. as modified above, disclose a method wherein the quantitative information is densitometric information and wherein the densitometric information is bone mineral density.
- As per claims 13-17, Inga et al. as modified above, do not explicitly disclose a method wherein x-ray acquisition parameters are transmitted to the remote computer; x-ray acquisition parameters are transmitted prior to, after or simultaneously with x-ray imaging; wherein x-ray acquisition parameters are selected from a group consisting of x-ray tube voltage, x-ray energy, x-ray tube current, film-focus distance, object-film distance, x-ray collimation, focal spot size, spatial resolution of the x-ray system, filter technique, and film-focus distance.

- 13. It would have been obvious to modify the method of Inga et al. such that it incorporated the aforementioned limitations. One would have been motivated to make such a modification so that acquisition parameters are correlated with obtained x-ray imagery, thereby enabling a practitioner to devise analyses of the correlated results and to set parameters that produce high quality images.
- 14. **As per claim 18-20**, Inga et al. as modified, do not explicitly disclose a method wherein the x-ray image further comprises one or more internal standards; the internal standard is density of a tissue of a human or air surrounding a structure and the internal standard is density of a tissue and the tissue is selected from the group consisting of subcutaneous fat, bone and muscle.
- 15. It would have been obvious to further modify the method of Inga et al., such that it incorporated x-ray images further comprising one or more internal standards representing the density of tissue of a human or air surrounding a structure; the tissue is selected from the group consisting of subcutaneous fat, bone and muscle. One would have been motivated to make such a modification so that areas of interest are easily recognizable within an image, thereby minimizing ambiguity amongst coexisting anatomical structures.
- 16. As per claim 21, Inga et al. as modified, do not explicitly disclose a method wherein the information is encrypted prior to transmission.
- 17. It would have been obvious to further modify the method of Inga et al. such that information is encrypted prior to transmission. One would have been motivated to make such a modification so that patient information is protected from unauthorized access during transmission via a network or mainframe; thereby preserving the integrity of personal information during transit.

- 18. As per claims 22-26, Inga et al. as modified, do not explicitly disclose a method comprising generating a diagnostic report based on the quantitative information; wherein the diagnostic report provides information on a patient's state of health; wherein the state of health is selected from the group consisting of bone mineral density status and fracture risk; further comprising generating a bill for the diagnostic report and wherein the bill is generated by a computer program on the remote computer.
- 19. It would have been obvious to further modify the method of Inga et al. such that it incorporated the aforementioned limitations. One would have been motivated to make such a modification so that obtained information is tabulated to reveal the state of a patient's health. Additionally, it would have been obvious to incorporate administrative documents such as billing information along with the generated diagnostic report. One would have been motivated to make such a modification so that services rendered is documented and provided along with a prognosis.
- 20. As per claims 27-29, Inga et al. as modified, disclose a method wherein the x-ray image is an x-ray film (12) and wherein the film is digitized using a scanning unit (14) (see Inga et al. Figs. 1 and 2).
- 21. **As per claims 30 and 31**, Inga et al. as modified, do not explicitly disclose a method wherein an x-ray film image is digitally acquired using a selenium or silicon detector.
- 22. It would have been obvious to modify the method of Inga et al. such that an x-ray film is digitally acquired. One would have been motivated to make such a modification so that the additional step of converting an analogue image to a digital image is avoided, thereby reducing the complexity of an image data transmission process. Additionally, practitioners in the radiation

art would be well aware of the use of selenium or silicon detectors for digital image acquisition; the selection of either of the aforementioned detectors would be at the discretion of a respective experimenter.

- 23. As per claims 8-10 and 12, Inga et al. as modified, do not explicitly disclose a method wherein quantitative information is information on the morphology of bone; the information based on two or three-dimensional arrangements of individual components forming the structure and wherein the structure is bone.
- 24. It would have been obvious to further modify the method of Inga et al. such that quantitative information is information on the morphology of a bone structure. One would have been motivated to make such a modification so that 2-D or 3-D images of bone structure could be used to determine whether a problem exists by comparing known structures to obtained images.
- 25. Claims 32-45 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chiabrera et al. (U.S. Patent 5,917,877).



26.

Figure 1 - U.S. Patent 5,917,877 to Chiabrera et al.

Application/Control Number: 09/942,528

Art Unit: 2882

27. As per claims 32, 39, 40 and 47, Chiabrera et al. disclose an apparatus comprising an x-

Page 8

ray film holder (13), X-ray film ((23) - Fig. 2) a calibration phantom (16) and an x-ray imaging

assembly and computer programs, wherein said computer programs analyze and assess bone

mineral density (see Fig. 1 above and respective portions of the specification and included Figs.)

Chiabrera et al. do not explicitly disclose a calibration phantom comprising a marker in an area

of known density; the markers comprising a plurality of geometrical patterns.

28. Chiabrera et al. teach that a calibration phantom can comprise a wedge construction

wherein differing heights represent varying thicknesses thereby allowing the distinct

identification of wedge attenuating characteristics (column 3, lines 65 through column 4, line 3).

29. It would have been obvious to modify the apparatus of Chiabrera et al. such that it

incorporated a calibration phantom comprising a marker in an area of known density. One would

have been motivated to make such a modification so that the marker serves as a positioning


indicator for the phantom as well as an indicator for the attenuation attributes of the phantom at

the indicated position as suggested by Chiabrera et al. Additionally, it is the position of the

examiner that the patterning of the markers would not deviate from the scope and spirit of the

disclosed invention.

Application/Control Number: 09/942,528



30.

Figure 2 - U.S. Patent 5,917,877 to Chiabrera et al.

- 31. As per claim 33, Chiabrera et al. as modified, disclose an apparatus wherein the calibration phantom (16) projects free of bone tissue (Fig. 2, above).
- 32. **As per claim 34**, Chiabrera et al. as modified, disclose an apparatus wherein the calibration phantom is attached to the x-ray film holder or a detector system (Fig. 1, above).
- 33. As per claim 35, 41, 42 and 43, Chiabrera et al. as modified, disclose an apparatus wherein the calibration phantom is integral to the x-ray film holder included between two physical layers of x-ray film and included within one of the physical layers of the x-ray film (Figs. 1-3).
- 34. As per claim 36 and 45, Chiabrera et al. do not explicitly disclose an apparatus configured as a dental x-ray assembly and wherein the image is a dental x-ray image.
- 35. It would have been obvious to modify the apparatus of Chiabrera et al. such that it was configured as a dental x-ray assembly. One would have been motivated to make such a

Application/Control Number: 09/942,528

Art Unit: 2882

modification so that the assembly was configured for image capture and calibration of a particular portion of a patient's anatomy, such as patient's teeth and mandible structure.

Page 10

- 36. **As per claim 37**, Chiabrera et al. as modified, disclose an apparatus wherein the calibration phantom comprises a step wedge (Fig. 4).
- 37. **As per claim 38,** Chiabrera et al. as modified, do not explicitly disclose an apparatus wherein the calibration phantom comprises a plurality of fluid-filled chambers.
- 38. It would have been obvious to modify the apparatus of Chiabrera et al., such that it incorporated a calibration phantom comprising a plurality of fluid-filled chambers. One would have been motivated to make such a modification so that the phantom would mimic the attenuation characteristics of soft tissue of a human body.
- As per claims 44, Chiabrera et al. as modified, disclose a method comprising providing an assembly according to claim 32, wherein the calibration phantom is positioned such that x-rays pass through a subject and the calibration phantom simultaneously, wherein the calibration phantom projects free of materials that alter it's apparent density (see Fig. 2 above); creating an image of the phantom and the portion of the subject's anatomy; comparing the image of the phantom and the subject's anatomy to determine bone mineral density of the subject (abstract; columns 1-3, column 4, lines 1-41).
- 40. Claim 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chiabrera et al. (U.S. Patent 5,917,877) in view of Inga et al. (U.S. Patent 5,384,643).
- 41. **As per claim 46**, Chiabrera et al. do not explicitly disclose a method wherein comparing is performed in a network environment.

42. Inga et al. disclose a method wherein comparison is performed in a network environment (abstract; column 3, lines 17-45).

43. It would have been obvious to modify the method of Chiabrera et al. such that it incorporated the step of comparing performed in a network environment. One would have been motivated to make such a modification so that analysis could be accentuated by the ability to access several image and patient data from an archive source as taught by Inga et al. (abstract; column 3, lines 17-45).

Response to Arguments

Applicant's arguments filed 10.09.03 have been fully considered but they are not persuasive. In particular, Inga et al. (U.S. Patent 5,384,643) disclose a method comprising the steps of providing a digitized X-ray image on a local computer (abstract; column 6, lines 65-68, column 7, line 1); transmitting the X-ray image to a remote computer (abstract; column 7, lines 1-12) and analyzing the data at the remote computer. Secondary reference to Ohkubo (U.S. Patent 6,449,502 B1) has been applied to the teachings of Inga et al. to meet the new limitations as set by applicants' amendment. Ohkubo is particularly relevant in the handling of radiation images comprising bone, since it is taught that bone density information can be obtained from the images by noting attenuation differences. Ohbuko further teaches that analysis of radiation images and the determination of bone density assists in the identification of ailments such as osteoporosis and leads to the prevention of bone fracture due to early detection. Examiner notes, that the term radiation image as used by Ohbuko also encompasses X-ray radiation images (see Ohkubo - column 1, lines 28-35).

45. With regards to claims 32-45 and 47, Examiner notes that independent claims 32 and 40 read: "... a calibration phantom comprising at least one marker positioned in an area of known density." Examiner has interpreted the claim as being drawn to a calibration phantom ... having a marker - placed in an area of the phantom, where the area of the phantom has a known density. As noted above, Examiner cites Chiabrera et al. (U.S. Patent 5,917,877). Chiabrera et al. teach that a calibration phantom can comprise a wedge construction wherein differing heights represent varying thicknesses thereby allowing the distinct identification of wedge attenuating characteristics (column 3, lines 65 through column 4, line 3). Based on the teachings of the construction of the Chiabrera et al. phantom, Examiner concludes that it would have been obvious to modify the calibration phantom such that it incorporated a marker in a known density area of the phantom. One would have been motivated to make such a modification so that the marker serves as a positioning indicator for the phantom as well as an indicator for the attenuation attributes of the phantom at the indicated position.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Application/Control Number: 09/942,528 Page 13

Art Unit: 2882

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Courtney Thomas whose telephone number is (703) 306-0473.

The examiner can normally be reached on M - F (9 am - 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ed Glick can be reached on (703) 308 4858. The fax phone number for the

organization where this application or proceeding is assigned is (703) 872-9318.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-0530.

Courtney Thomas

DAVID V. BRUCE PRIMARY EXAMINER

Havro Brusi